


























Plant Diagnostic Clinic Mid-Florida Research and Education Center January 2009




| Date | ID Number | Plant | Photo | Diagnosis |
|----------|-----------|-------------|--|--|
| 1/8/2009 | 1064 | Thalia |  | <i>Alternaria alternata</i> – may or may not be the cause. |
| | 1062 | Gerbera |  | Fungus – no ID yet, not bacterial |
| | 1062 | Blueberry |  | Fungus – no ID yet, no bacteria |
| | 1062 | Blueberry 2 |  | Possible virus |
| | 1062 | Banana |  | <i>Pyricularia</i> |

| | | | | |
|--|------|---------------|--|---|
| | 1062 | Banana 2 |  | Fungus – no ID yet |
| | 1062 | Oxalis |  | Looked like White Mold, but the sclerotia are not developing for positive ID |
| | 1062 | Chlorophytum |  | <i>Fusarium</i> and <i>Myrothecium</i> |
| | 1062 | Spathiphyllum |  | <i>Colletotrichum</i> – probably secondary. Roots look good, possibly environmental problem |
| | 1063 | Maranta |  | No pathogen isolated. Possible burn. |

| | | | | |
|---------|------|---------|--|--|
| | 1065 | Ivy |  | Environmental or chemical damage – not a pathogen. |
| | 1065 | Pothos |  | Cold damage and nutrient deficiency/toxicity. pH 3.3, EC 982 μmhos (low). See http://mrec.ifas.ufl.edu/Foliage/folnotes/pothos.htm |
| 1/15/09 | 1067 | Liriope |  | No pathogen isolated. |
| | 1068 | Dracena |  | <i>Colletotrichum acutatum</i> |
| | 1069 | Dracena |  | <i>Colletotrichum acutatum</i> |

| | | | | |
|-----------|------|------------|--|---|
| | 1069 | Ivy |  | <i>Xanthomonas</i> |
| | 1084 | Queen Palm |  | Not <i>Fusarium</i> |
| 1/22/2009 | 1072 | Arboricola |  | <i>Alternaria</i> and <i>Colletotrichum</i> isolated. <i>Alternaria</i> is most likely candidate for causing the spots. |
| | 1093 | Ruscus |  | Possible chilli thrips damage. Insects no longer present because of recent cold temperatures. |
| | 1093 | Viburnum |  | Possible chilli thrips damage. Insects no longer present because of recent cold temperatures. |

| | | | | |
|-----------|------|----------------|--|---|
| | 1071 | Palm |  | Not <i>Fusarium</i> |
| | 1074 | Impatiens |  | <i>Fusarium</i> and <i>Myrothecium</i> isolated. These are probably secondary. The damage appears to be a burn. |
| 1/29/2009 | 1100 | Euphorbia |  | Powdery mildew |
| | 1075 | Birdsnest fern |  | Bacteria isolated being identified. |
| | 1075 | Spathiphyllum |  | <i>Rhizoctonia</i> |

| | | | | |
|--|------|------------------|---|--|
| | 1076 | Spathiphyllum |  | Bacteria isolated, being identified. Think it is more physiological/nutritional than pathogenic. |
| | 1077 | Asparagus fern |  | <i>Rhizoctonia</i> |
| | 1077 | Asparagus fern 2 |  | <i>Rhizoctonia</i> |